

CHAMMED

TOTAL CATALOGUE

Power Of Innovation

CHAMMED combines a superior product design with state-of-the-art technology
We are driven by our passion to innovate.



XU4 extreme



▲ XU4 Sub table type



▲ XU4 + Endoscopic system

Standard set	Dimensions (WxDxH)(mm)	Weight	Spray	Suction	Ventilation	Mirror quick heating	Reflection light with curved pole	Medicine bottle	Deposit for used instrument (100mm Can)	83mm Can	53mm Can	Instrument tray
XU4	940x682x817	105kg	4ea	1ea	1ea	1ea	1ea	5ea	2ea	3ea	4ea	1ea
*Post pole : 1847±10% Table Attach : 880(W)(mm)												
Options	Pole 1800mm (Straight)	Doctor chair	Patient chair									
XU4	1ea	1ea	1ea									

CONFIGURATIONS :

- Power source : AC 220V, 50/60Hz -Power consumption : 900VA -Compressor motor : 2.0Kgf/cm² ±0.5Kgf/cm²
- Suction motor : 680mmHg -Touch switch : Chair up / Down / Right / Left / Reset / Heating / Light / Film / Vent

XU3 extreme



Workstation

Patient chair

Endoscopic system

Microscope

Inhalation unit

Inspection equipment



▲ XU3+Endoscopic system



Standard set	Dimensions (WxDxH)(mm)	Weight	Spray	Suction	Mirror quick heating	Reflection light with straight pole	Medicine bottle	Wireless pen light set	100mm Can	53mm Can	38mm Can	Instrument tray
XU3	800x600x805	110kg	3ea	2ea	1ea	1ea	5ea	1ea	4ea	1ea	1ea	1ea
*Post pole : 1806±10%(mm)												
Options	Pole 1800mm (Straight)	Doctor chair	Patient chair	Endoscopic system								
XU3	1ea	1ea	1ea	1ea								

CONFIGURATIONS :

- Power source : AC 220V, 50/60Hz -Power consumption : 900VA -Compressor motor :2.0Kgf/cm²±0.5Kgf/cm²
- Suction motor : Main 680mmHg / Sub 650mmHg -Touch switch : Chair up / Down/ Right / Left / Reset / Heating / Light / Film / Vent / Monitor / Visual

XU2 extreme



XU1 extreme



▲ XU2 Extreme



▲ XU1 Extreme

Standard set	Dimensions (WxDxH)	Weight	Spray	Suction	Mirror quick heating	Reflection light with straight pole	Medicine bottle	Wireless pen light set	Deposit for used instrument (100mm Can)	83mm Can	53mm Can	Instrument tray
XU2	740x551x800	73kg	3ea	1ea	1ea	1ea	4ea	1ea	2ea	3ea	1ea	1ea
XU1	650x430x774±10%	63kg	2ea	1ea	1ea	1ea	3ea	-	1ea	4ea	-	1ea

*Post pole : (XU1) 1470±10%(mm)

Options	Pole 600mm (straight)	Doctor chair	Patient chair	Endoscopic system
XU2	1ea	1ea	1ea	1ea
XU1	-	1ea	1ea	1ea

CONFIGURATIONS :

-Power source : AC 220V, 50/60Hz -Power consumption : (XU2) 775VA/(XU1) 530VA -Compressor motor : (XU2) 2.0Kgf/cm²±0.7Kgf/cm² (XU1) 2.0Kgf/cm²
 -Suction motor : (XU2) 680mmHg / (XU1) 660mmHg -Touch switch : Chair up / Down / Heating / Light / Service

CLARVION XV3 MINI



New Product



▲ XV3 MINI Black type



▲ XV3 MINI Blue type



▲ XV3 MINI Yellow type

Unit Attach



▲ XV3 MINI+XU1 Attach type



▲ XV3 MINI+XU2 Attach type



▲ XV3 MINI+XU3 Attach type

Specification	Dimensions (WxDxH)(mm)	Power source	Power consumption	Light source	Lamp life	Brightness	Kelvin	Memory board	Intensity of radiation
XV3 MINI	151x225x173.5±10%	100-240Vac, 50-60Hz	40 VA	4W	30,000 hour	3step	5000k and more	1/2/4 Capture	2x10 ⁴ Lux ↑
Standard set	CCD Camera	Adapter lens	Monitor	Main cable	Video cable	Endoscope			
XV3 MINI	1set	1ea	Optional	1ea	1ea	Otoscope(1ea)			

Workstation

Patient chair

Endoscopic system

Microscope

Inhalation unit

Inspection equipment